



Twin IBC Hard Top Spill Pallet

Product Data Sheet

Item Number: 1148/1149

Item Name: Twin IBC Hard Top Spill Pallet

Load Capacity UDL: 8,500 lbs. (3856 kg) per side

Sump Capacity: 535 Gallons (2025L)

Item #	Color	Misc. Features	Amount	Length	Width	Height	Weight	QTY/ Pallet
1148	Yellow/ Black/ Gray	No Drain	1 Each	128" (1639mm)	67" (1575mm)	96" (2439mm)	1067 lbs. (484kg)	1 1
1149	Yellow/ Black/ Gray	With Drain	1 Each	128" (1639mm)	67" (1575mm)	96" (2439mm)	1067 lbs. (484kg)	

Description: One molded 535 gallon (2025L) IBC spill pallet combined with an all polyethylene roll top unit, to provide enough spill containment to meet EPA requirements and keep your IBCs safe from the elements and unauthorized access. The system is designed to hold two IBC tanks.

Application: For use in storing two IBC tank when secure outdoor storage is needed, along with remaining in compliance with EPA regulations.

Product Features: The Twin IBC Hard Top Spill Pallets help you comply with EPA 40 CFR 122.26, 40 CFR 264.175 and SPCC regulations, as well as maintaining a clean, safe work/ storage environment when utilizing your IBC tanks.

- Provides low cost spill containment for IBC tanks.
- IBC tanks sit on a heavy-duty spill pallet that offers a Uniformly Distributed Load (UDL) capacity of 8500 lbs (3856 kg) per side and 535 gallons (2025L) of spill capacity (total).
- Constructed of 100% polyethylene, eliminating the potential for rust and corrosion as well offering excellent chemical compatibility with a broad range of chemicals including acids, solvents and oils.
- Upper roll top doors and lower swing-out doors combine to allow easy and convenient access to the IBCs.
- Safely stores two IBC tanks with maximum dimensions of 52"x52"x61" (1321mm x 1321mm x 1549mm).

Composition: 100% polyethylene with UV inhibitors.

Helps you comply with: SPCC, EPA 40 CFR 264.175, NPDES 122.26

Additional Specifications: Removable Grates for easy clean-up (24"x48"x4" (610mm x 1219mm x 25mm))

Disclaimers: Flammables Notice: If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources.